

“Our goal is to deliver high performance, high quality products that offer the lowest total cost of ownership...”

BESTAŞ A.Ş.

SİFTAH SK. NO:9 34710 Kadıköy
İSTANBUL - TURKEY


Phones: +90 216 449 00 30

+90 216 336 60 54

Fax: +90 216 347 39 61


E-mail: scuba@bestas.com

Web: <http://www.nemo-sub.com>



AIR TANKS ACCESSORIES


Spare Air Source



Spare Air

- The preferred choice of Recreational Divers
- 3.0 cubic feet of air
- Tank finish in Neon Yellow for safety
- Easily refills from your own SCUBA tank with included refill adapter (patent pending)
- Easily attaches to your AT with included holster and safety leash
- Small, hands-free, nearly neutrally buoyant
- Breathe on demand regulator -No complicated instructions
- Completely redundant back-up miniature SCUBA system
- Faster than buddy breathing and easier than an octopus





AIR TANKS

Extra AIR




- The preferred choice of Recreational Divers
- 3.0 cubic feet of air
- Tank finish in Neon Yellow for safety
- Easily refills from your own SCUBA tank with include refill adapter (patent pending)
- Easily attaches to your AT with included holster and safety leash
- Small, hands-free, nearly neutrally buoyant
- Breathe on demand regulator -No complicated instructions
- Completely redundant back-up miniature SCUBA system
- Faster than buddy breathing and easier than an octopus

Oxygen Kit



- Resuscitator Bag and Mask for Adults
- Reflective Orange HandBag
- Therapy mask and hoses
- Various Sizes Airway Kit
- 3 Liters Lightweight Aluminum Medical Oxygen Tank with Integrated Stage Regulator



AIR TANKS

Steel Tank - 18 L. with Valve

Test Pressure: 300 Bar



Steel Tank - 15 L. with Valve

Test Pressure: 300 Bar



Steel Tank - 12 L. With Valve

Test Pressure: 300 Bar




Aluminum Tank - 12 L. with Valve

Test Pressure: 300 Bar

Ø204 mm - Length 610 mm





AIR TANKS



Aluminum Tank - 11,1 L. with Valve

Test Pressure: 311 Bar

Ø184mm - Length 660 mm



Aluminum Tank - 7 L. with Valve

Test Pressure: 310 Bar

Ø152mm - Length 575 mm



Aluminum Tank - 3 L. with Valve

Test Pressure: 310 Bar


Ø117mm - Length 460 mm



Aluminum Tank - 0.5 L. with Valve

Test Pressure: 300 Bar

Ø70mm - Length 230 mm



AIR TANK ACCESSORIES

Yoke tank Pressure Tester



Tank Pressure Equalizer - Yoke to Yoke without Gauge




Tank Pressure Equalizer - Yoke to Yoke with Gauge



Single tank Back Pack





AIR TANK ACCESSORIES



Tank Spacer




TH-2 Tank Holder 7.25\"/>



TH-1 Tank Holder 8\"/>



TH - 5 Tank Holder 8\"/>



AIR TANK ACCESSORIES

Tank Mesh

Sizes: 10L.,12L.,15L.,18L.



Boot for Aluminum Tank


Sizes: 8" and 7 1/4"




8" Boot for Steel Tank



Tank Spacer





AIR TANK VALVE AND ACCESSORIES



Tank Valve With yoke adapter

230 bar, M25X2.0



Tank Valve With yoke adapter for Aluminum Tanks

230 bar, 3/4"x14




H Valve

230 bar, M25X2.0



din/int adaptor



AIR TANK VALVE AND ACCESSORIES

Tank Valve Cap



Hand Wheel-(Rubber)




Hand Wheel-(Plastic)



Nut





SPARE PARTS FOR AIR TANK VALVES




Spring




Spindle



Tank Valve Seat



Telfon Washer



SPARE PARTS FOR AIR TANK VALVES

Dip Tube



NBR O-ring

(25,2x2,62) or (24x4)



NBR O-ring

(12,37x2,62)



BESTAŞ A.Ş.

SİFTAH SK. NO:9 34710 Kadıköy
İSTANBUL - TURKEY

Phones: +90 216 449 00 30
+90 216 336 60 54
Fax: +90 216 347 39 61
E-mail: scuba@bestas.com
Web: <http://www.nemo-sub.com>